

LIST OF TABLES

- 3.1. Method of capture used in initially capturing 51 individual black bears in the Stratton Mountain Study Area, 1989-1995.
- 3.2. Black bear capture effort and success from 1989-1995, Stratton Mountain Study Area, Vermont.
- 3.3. Summary of capture efforts using trained bear hounds, 1990 to 1995.
- 4.1. Selected morphological measurements of subadult and adult black bears in the Stratton Mountain Study area, 1989-1995.
- 4.2. Natality and survivorship of cubs during the Stratton Black Bear Study, 1990-1996.
- 4.3. Reproduction statistics of female black bears monitored as part of the Stratton Black Bear Study, 1990-1996.
- 4.4. Adult female black bear ages and weights in relation to reproductive performance.
- 4.5. Cause-specific and class-specific mortality records for 44 black bears in the Stratton Mountain Black Bear Study, 1989-1996.
- 4.6. Method of hunting and month of the year when 20 study animals were legally harvested.
- 4.7. Cub survival estimates for black bear populations throughout North America based on observation of mothers and their offspring during winter den checks.
- 4.8. Mean weight and ages of hunter-harvested adult female black bears taken in the northeast and southernmost counties of Vermont between 1980 and 1996.
- 5.1. Summary of annual home range size for black bears in the Stratton Mountain Study Area, 1990-1995.
- 5.2. Annual home range size for females in the year cubs are known to have survived the entire year with their mother and for adult females not accompanied by cubs-of-the-year (COY), or where cub fate unknown.
- 5.3. Furthest distance traveled by black bears outside of their home ranges each year. Stratton Mountain Black Bear Study, 1990-1995.
- 5.4. Mean elevation of telemetry locations of adult and female black bears by season in the Stratton Mountain Study Area of Vermont, 1990-1995.
- 5.5. Gross energy, crude protein, and metabolic energy values for three important black bear foods.

- 5.6. Occurrence of select spring and summer bear food species on Stratton Mountain, Vermont in 1994 using point intercept transects.
- 5.7. Availability of major black bear food species in southern Vermont, 1990-1995.
- 5.8. Seasonal comparison of black bear telemetry locations within 200 meters of hydrological features including streams and Class I and II wetlands in the Stratton Mountain Study Area, 1990-1995.
- 5.9. Effects of beech mast production on fall bear locations in relation to distance from roads and elevation.
- 5.10. Inventory of 42 bear-clawed beech stands sampled in Vermont in 1991 and 1994.
- 5.11. Seasonal Use of Ecological Land Types (ELT's) by black bears on the Manchester Ranger District of the Green Mountain National Forest.
- 6.1. Density of roads and houses within home ranges of adult and subadult black bears in the Stratton Mountain Study Area, 1990-1995.
- 6.2. Summary of telemetry locations in relation to cultural features.
- 6.3. Summary of black bear avoidance distances and year-round human residences in the Stratton Mountain Study Area, 1990-1995.
- 6.4. Summary of selection analysis of buffer distances within one kilometer of two different road types.
- 6.5. Summary of avoidance distances to different road classifications by three study animals who were the most intensively monitored and whose home ranges included several roads.
- 6.6. Effects of beech mast production on spring and fall bear locations in relation to distance from roads.
- 6.7. Number of times black bears crossed roads within their home ranges and rate of crossings for different road types.
- 6.8. Number and rate of crossing of all bears of paved roads during years of food scarcity and abundance, 1990-1995.
- 6.9. Comparison of 9 characteristics of 33 black bear crossing areas of paved roads within the Stratton Mountain Study Area.

- 6.10. Activity rates for black bears on private, mostly developed lands, and on more remote USFS lands during crepuscular and nocturnal time periods.
- 6.11. Mean distances between winter recreational activity and black bear den sites on the Stratton Mountain Black Bear Study Area, 1990-1996.
- 7.1. Seasonal location points of study animals compared with expected number of random points in relation to six areas of varying levels of human development and activity on Stratton Mountain, Vermont during 1990-1995.